Post-traumatic stress among U.S. troops up 50%

By Pauline Jelinek ASSOCIATED PRESS

number of U.S. troops with new cases of post-traumatic stress big rise over the years partly to disorder jumped by roughly 50 the fact that officials started an percent in 2007 amid the mili- electronic record system in tary buildup in Iraq and in- 2004 that captures more inforcreased violence there and in mation, and to the fact that as Afghanistan.

known as PTSD, since 2003. sure of troops to combat. illness a secret.

Surgeon General Eric Schoo- both conflicts. maker said Tuesday.

and Afghanistan.

were nearly 14,000 newly diag-buildup, officials also extended the brunt of combat in Iraq and

than 9,500 new cases the previer extra emotional strain. **WASHINGTON** – The ous year and 1,632 in 2003.

Schoomaker attributed the time goes on the people keep-

more are likely keeping their posure to combat in 2007 in-fense writers. cluded President Bush's troop

More troops also were serv- ferred way to do it."

nosed cases across the services tour lengths to 15 months from Afghanistan. in 2007 compared with more 12, another factor that caused

> raging troops to get help even if 6,800 new cases the previous treatment. it means they go to civilian year. More than 28,000 soldiers therapists and don't report it to altogether were diagnosed ously only given a percentage the military.

encourage soldiers and famwe're invading their privacy," Officials believe that many Factors increasing troop ex- Schoomaker told a group of de-

"I don't think right now we ... buildup and the fact that 2007 lem in American civilian so- seeking to confirm the num- about 120,000 Iraq and Afhave good numbers," Army was the most violent year in ciety, not just the military, he bers released by Schoomaker's said, "I think that's the pre- office.

Defense officials had not ingtheir second, third or fourth The accounting of diagnosed previously disclosed the num-tours of duty, a factor mental cases released Tuesday shows ber of PTSD cases from Iraq health experts say dramatically those hardest hit last year were increases stress. And in order Marines and Army personnel, Army statistics showed there to supply enough forces for the the two ground forces bearing

than 10,000 new cases last year, as nightmares and flashbacks, Officials have been encou- compared with more than and can get better with early "We're trying very hard to five years, the data showed.

since 2003, the data showed.

Navy officials who would symptoms. have data on Marine health is-Noting that stigma is a prob-sues did not return a phone call ment said recently it has seen

Schoomaker said he believes PTSD is widely misunderstood by the press and the public, and diagnosis at nearly 60,000. An that what is often just normal post-traumatic anxiety and also go to private care providstress is mistaken for fullblown PTSD.

Experts say many troops The Army reported more have symptoms of stress, such


The Pentagon had previwith the disorder over the last of troops believed affected by depression, anxiety, stress and The Marine Corps had more so on, saying up to 20 percent ilies to seek care and to not than 2,100 new cases in 2007, return home with symptoms of Records show roughly ing records are more knowl- have them feel in any way, compared with 1,366 in 2006. mental health problems. A re-40,000 troops have been diag- edgeable about the illness. He shape or form that we're look- More than 5,000 Marines have cent private study estimated nosed with the illness, also also blamed increased expo- ing over their shoulder or that been diagnosed with PTSD that could mean up to 300,000 of those who've served have

The Veterans Affairs Departghanistan veterans who have received at least a preliminary mental health diagnosis, with PTSD being the most common undisclosed number of troops ers who are part of the huge military health-care system.

The stress of war

More than 28,000 Army soldiers who served in Iraq or Afghanistan have been diagnosed with post-traumatic stress disorder since 2003.

Soldiers with PTSD



Source: Office of the Surgeon General ASSOCIATED PRESS